

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	106	(LUICK and DAVID).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:26
L2	610	(power and instruction\$1 and count\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:30
L3	40	(LUICK and DAVID and A).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:26
L4	2	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:29
L5	1760	(power and instruction\$1 and rate\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:32
L6	1	5 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:29
L7	2	2 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:29
L8	1	5 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:29
L9	4	(power and instruction\$1 and (power adj count\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:30

EAST Search History

L10	17	(power and instruction\$1 and (execut\$3 near2 rate\$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:44
L11	8633	(instruction\$1 or opcode\$1) same (power near2 (manag\$5 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:46
L12	4920	(instruction\$1 or opcode\$1) with (power near2 (manag\$5 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:46
L13	3787	(instruction\$1 or opcode\$1) same (power adj (manag\$5 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:46
L14	2110	(instruction\$1 or opcode\$1) with (power adj (manag\$5 or control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:47
L15	57	13 same (power adj (count\$1 or value\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:55
L16	24	14 with (power adj (count\$1 or value\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:02
L17	1	15 same cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:54
L18	3	15 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:54
L19	1	16 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:51

EAST Search History

L20	78	11 same (power adj (count\$1 or value\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:54
L21	32	12 with (power adj (count\$1 or value\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:54
L22	2	20 same cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:54
L23	0	21 with cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:54
L24	6	20 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:55
L25	1	21 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:55
L26	1	("6775787").URPN.	USPAT	OR	OFF	2006/05/24 10:55
L27	9	("5787297" "5941991" "5991884" "6002878" "6055640" "6096089" "6167524" "6205555" "6513124").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/24 10:55
L28	822	(power near3 (estimat\$3 or calculat\$3 or determin\$5)) near6 instruction\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:16
L29	2	28 same opcode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:05
L30	0	("6834353").URPN.	USPAT	OR	OFF	2006/05/24 11:05

EAST Search History

L31	22	("3626427" "3859755" "5394558" "5452434" "5469399" "5742833" "5815724" "5903894" "5941991" "5951689" "5987545" "5991884" "6002878" "6025741" "6054877" "6079008" "6167524" "6173408" "6205518" "6237101" "6564328" "6651176").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/24 11:05
L32	125	(instruction\$1 or opcode\$1) near6 (power near2 (bit\$1 or flag\$1 or indicator\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:48
L33	30	32 same (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:26
L34	21	32 with (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:21
L35	8	33 same (count\$3 or value\$1 or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:44
L36	20	34 and (count\$3 or value\$1 or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:18
L37	5	34 with (count\$3 or value\$1 or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:19
L38	28	33 and (count\$3 or value\$1 or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:20
L39	131	(instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3) near6 (power near2 (bit\$1 or flag\$1 or indicator\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:41

EAST Search History

L40	76	(instruction\$1 or opcode\$1) with ((set\$4 or writ\$4 or read\$3 or decod\$3) near6 (power near2 (bit\$1 or flag\$1 or indicator\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:23
L41	35	39 same (count\$3 or value\$1 or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:42
L42	12	40 with (count\$3 or value\$1 or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:24
L43	19	39 same (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:48
L44	5	40 with (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:26
L45	8	39 same cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:28
L46	0	40 with cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:28
L47	0	32 same (execution near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:31
L48	0	39 same (execution near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:31
L49	1	39 and (execution near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:31

EAST Search History

L50	5	32 and (execution near2 rate\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:31
L51	4	32 same dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:44
L52	3	32 with dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:34
L53	8	("6625740").URPN.	USPAT	OR	OFF	2006/05/24 11:34
L54	2	39 same dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:39
L55	2	40 with dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:40
L56	134	(instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (power near2 (bit\$1 or flag\$1 or indicator\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:42
L57	147	(instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (power near2 (bit\$1 or flag\$1 or indicator\$1 or field\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:51
L58	82	(instruction\$1 or opcode\$1) with ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (power near2 (bit\$1 or flag\$1 or indicator\$1 or field\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:42
L59	1	57 same (power adj (count\$3 or value\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:43

EAST Search History

L60	12	57 and (power adj (count\$3 or value\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:43
L61	10	58 and (power adj (count\$3 or value\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:47
L62	34	57 same (count\$3 or value or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:44
L63	13	58 with (count\$3 or value or sum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:44
L64	1	62 same dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:45
L65	18	62 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:45
L66	3	63 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:46
L67	77	(power adj (count\$3 or value\$1 or sum)) near6 dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:50
L68	14	67 same (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:39
L69	12	67 with (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:49

EAST Search History

L70	4732	(power adj (count\$3 or value\$1 or sum)) same (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:50
L71	3964	(power adj (count\$3 or value\$1 or sum)) with (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:50
L72	3760	(power adj (count or value or sum)) same (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:50
L73	3137	(power adj (count or value or sum)) with (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:50
L74	0	72 same ((instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:44
L75	107	72 and ((instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:53
L76	0	73 with ((instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:52
L77	103	73 and ((instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:52
L78	15	72 and ((instruction\$1 or opcode\$1) near6 ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:28
L79	15	73 and ((instruction\$1 or opcode\$1) near6 ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:53

EAST Search History

L80	9418	(set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 ((instruction\$1 or opcode\$1) near2 (bit\$1 or flag\$1 or indicator\$1 or field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:45
L81	13	80 same (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:47
L82	3	80 with (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:47
L83	183	(instruction\$1 or opcode\$1) near6 (power near2 (bit\$1 or flag\$1 or indicator\$1 or field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:48
L84	8	83 and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:50
L85	10	83 and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:52
L86	5	83 and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:53
L87	8	83 and 713/324.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:54
L88	3	83 and 713/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 12:54
L89	50	(power adj (count\$1 or value\$1 or sum)) and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:23

EAST Search History

L90	18	89 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:08
L91	24	(power adj (count\$1 or value\$1 or sum)) and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:05
L92	9	91 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:05
L93	10	(power adj (count\$1 or value\$1 or sum)) and 713/322.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:06
L94	3	93 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:06
L95	10	(power adj (count\$1 or value\$1 or sum)) and 713/324.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:07
L96	6	95 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:07
L97	27	(power adj (count\$1 or value\$1 or sum)) and 713/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:07
L98	7	97 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:16
L99	23	89 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:15

EAST Search History

L100	13	91 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:12
L101	7	93 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:13
L102	7	95 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:14
L103	15	97 and dynamic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:14
L104	24	89 and (instruction\$1 near3 (execut\$3 or process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:15
L105	11	91 and (instruction\$1 near3 (execut\$3 or process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:38
L106	8	93 and (instruction\$1 near3 (execut\$3 or process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:16
L107	7	95 and (instruction\$1 near3 (execut\$3 or process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:16
L108	15	97 and (instruction\$1 near3 (execut\$3 or process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:16
L109	12	104 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:16

EAST Search History

L110	6	105 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:18
L111	3	106 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:20
L112	6	107 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:20
L113	6	108 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:40
L114	0	(dynamic near3 (power adj (count\$1 or sum))) and 713/300. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:26
L115	1	(dynamic near3 (power adj (count\$1 or sum))) and 713/320. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:24
L116	0	(dynamic near3 (power adj (count\$1 or sum))) and 713/322. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:24
L117	0	(dynamic near3 (power adj (count\$1 or sum))) and 713/323. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:24
L118	0	(dynamic near3 (power adj (count\$1 or sum))) and 713/324. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:24
L119	0	(dynamic near3 (power adj (count\$1 or sum))) and 713/340. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:24

EAST Search History

L120	24	(US-20050071701-\$ or US-20030126479-\$).did. or (US-6507530-\$ or US-6636976-\$ or US-6564328-\$ or US-6317840-\$ or US-6775787-\$ or US-6055640-\$ or US-6002878-\$ or US-5991884-\$ or US-5941991-\$ or US-5787297-\$ or US-6651176-\$ or US-6167524-\$ or US-5951689-\$ or US-5815724-\$ or US-5974436-\$ or US-5732255-\$ or US-6625740-\$ or US-6976178-\$ or US-5996083-\$ or US-6604202-\$ or US-6889330-\$ or US-6625737-\$). did.	US-PGPUB; USPAT	OR	OFF	2006/05/24 13:26
L121	2	120 and (power adj (count\$1 or sum))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:26
L122	1	121 and ((instruction\$1 or opcode\$1) near6 ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:29
L123	1	121 and ((instruction\$1 or opcode\$1) same ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:29
L124	6	120 and ((instruction\$1 or opcode\$1) near6 ((set\$4 or writ\$4 or read\$3 or decod\$3 or encod\$3) near6 (bit\$1 or flag\$1 or indicator\$1 or field\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:36
L125	2	120 and (power adj (bit\$1 or flag\$1 or indicator\$1 or field\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:37
L126	22	120 and (instruction\$1 near3 (execut\$3 or process\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:38
L127	22	120 and (instruction\$1 near3 (execut\$3 or process\$3 or rate\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:39

EAST Search History

L128	13	127 and (power near3 (estimat\$3 or calculat\$3 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:39
L129	10	128 and cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 13:40

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	1514	(chang\$3 or modify\$3) near6 ((instruction\$1 or microinstruction\$1 or (micro adj instruction\$1) or opdoce\$1) near3 (bit\$1 or (bit adj (value\$1 or field\$1)) or bitfield\$1 or field\$1 or flag\$1 or indicator\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:53
L7	2717	(chang\$3 or modify\$3 or encod\$3 or recod\$3 or (re adj cod\$3)) near6 ((instruction\$1 or microinstruction\$1 or (micro adj instruction\$1) or opdoce\$1) near3 (bit\$1 or (bit adj (value\$1 or field\$1)) or bitfield\$1 or field\$1 or flag\$1 or indicator\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:55
L8	1	7 same (after adj3 fetch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:58
L9	14	7 same (during near3 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:57
L10	4	7 with (during near3 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:55
L11	0	7 same ((prior or before) near6 ((stor\$3 or load\$3 or writ\$4) near2 cache\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:59
L12	111	7 and ((prior or before) near6 ((stor\$3 or load\$3 or writ\$4) near2 cache\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:58
L13	249	7 same cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:04
L14	96	7 with cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:58

EAST Search History

L15	49	7 same ((stor\$3 or load\$3 or writ\$4) near2 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:59
L16	10	7 with ((stor\$3 or load\$3 or writ\$4) near2 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 17:59
L17	23	7 same ((level adj one adj cache) or "L1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:01
L18	0	7 with ((level adj one adj cache) or "L1")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:01
L19	22	7 same ((prior or before) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:14
L20	2	7 with ((prior or before) near6 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:05
L21	58	("5337415").URPN.	USPAT	OR	OFF	2006/05/24 18:10
L22	5	("4439828" "4722050" "5136697" "5197135" "5214763").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/24 18:13
L23	187	(pre adj decod\$3) near6 cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:14
L24	41	((pre adj decod\$3) or predecod\$3) near6 ((prior or before) near3 cache\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:15
L25	113	((pre adj decod\$3) or predecod\$3) same ((prior or before) near6 ((load\$3 or stor\$3 or writ\$4) near3 cache\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:16

EAST Search History

L26	55	((pre adj decod\$3) or predecod\$3) with ((prior or before) near6 ((load\$3 or stor\$3 or writ\$4) near3 cache\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:16
L27	18	((pre adj decod\$3) or predecod\$3) same ((prior or before) near6 ((load\$3 or stor\$3 or writ\$4) near3 ((level adj one adj cache) or "L1"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:17
L28	18	((pre adj decod\$3) or predecod\$3) with ((prior or before) near6 ((load\$3 or stor\$3 or writ\$4) near3 ((level adj one adj cache) or "L1"))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 18:17